

SEQUENCE LISTING

5 <110> ACLARA BIOSCIENCES
Singh, Sharat
Inamdar, Anita
Ullman, Edward
Cao, Liching
Albagli, David

10 <120> MULTIPLEXED STRAND DISPLACEMENT FOR NUCLEIC ACID
DETERMINATIONS

<130> ACBI.044.01

15 <140> Not Yet Assigned
<141> 2000-07-16

20 <150> 09/354,629
<151> 1999-07-16

<160> 21

<170> PatentIn Ver. 2.1

25 <210> 1
<211> 18
<212> DNA
<213> Artificial Sequence

30 <220>
<223> Description of Artificial Sequence: probe

35 <220>
<221> misc_feature
<222> (18)
<223> n=N-(fluorescein-5-thiocarbamoyl)-5-amino-2-(hydroxymethyl)-pentyl

40 <400> 1
gtcgtgggga aaaccctn 18

45 <210> 2
<211> 41
<212> DNA
<213> Artificial Sequence

50 <220>
<223> Description of Artificial Sequence: probe

<220>
<221> misc_feature
<222> (1)
<223> n=6-(biotinamido)hexyl

5

10

15

20

25

30

35

40

45

50

<210>	6
<211>	37
<212>	DNA

5

<223> Description of Artificial Sequence: probe

gtcgtgactg ggaaaaccct ggcgcacatggt catagct

37

<210> 7

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: primer

cagggcggtag agtatgccaa atgaaaatca

30

<210> 8

<211> 46

<212> DNA

<213> Artificial Sequence

 $\langle 220 \rangle$

<221> misc feature

<222> (21)

<223> n=dodecyl

$\langle 220 \rangle$

<223> Description of Artificial Sequence: primer

<400> 8

ttggcagctc tcggcatcag ntcattccatc atcttcggca gattaa

46

<210> 9

<211> 41

<212> DNA

<213> Artificial Sequence

 $\langle 220 \rangle$

<221> misc feature

$\langle 222 \rangle$ (1)

<223> n=6- (biotinamido) hexyl

<220>

<223> Description of Artificial Sequence: probe

<400> 9

nctgatgccg agagctgccg agcccatata cgatgcctcg a

41

```
<220>
<223> Description of Artificial Sequence: probe
```

<400> 13
ngctatgcga ccgacctacc gtttgagcca tcacagtcca c 41

5

<210> 14
<211> 40
<212> DNA
<213> Artificial Sequence

10

<220>
<223> Description of Artificial Sequence: probe

15

<400> 14
gtggactgtg atggctcaaa cggtaggctg gtcgcatagc 40

20

<210> 15
<211> 26
<212> DNA
<213> Artificial Sequence

25

<220>
<223> Description of Artificial Sequence: primer

<400> 15
atccactgga gatttgtctg cttgag 26

30

<210> 16
<211> 49
<212> DNA
<213> Artificial Sequence

35

<220>
<221> misc_feature
<222> (21)
<223> n=dodecyl

40

<220>
<223> Description of Artificial Sequence: primer

45

<400> 16
agggtccactg cgtccgatgt ncgttggtgc atttgtctgt ttcagttac 49

50

<210> 17
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<221> misc_feature
<222> (1)

35

<223> n=6-(biotinamido)hexyl

<220>

<223> Description of Artificial Sequence: probe

5

<400> 17

nacatcggaac gcagtggaac tcacgtctac aagtcgcctg a

41

10

<210> 18

<211> 40

<212> DNA

<213> Artificial Sequence

15

<220>

<223> Description of Artificial Sequence: probe

<400> 18

tcaggcgact tgtagacgtg aggtccactg cgtccgatgt

40

20

<210> 19

<211> 38

<212> DNA

25

<213> Artificial Sequence

<220>

<221> misc_feature

<222> (21)

30

<223> n=hexaethyleneglycyl

<220>

<223> Description of Artificial Sequence: primer

35

<400> 19

cctggcgcat ggcatagct ncggaaccgc tcattgcc

38

40

<210> 20

<211> 42

<212> DNA

<213> Artificial Sequence

<220>

45

<221> misc_feature

<222> (1)

<223> n=6-(biotinamido)hexyl

50

<220>

<221> misc_feature

<222> (25)

<223> n=hexaethyleneglycyl

<220>

5

42

10

15

<223> n=6- (biotinamido) hexyl

20

25

42